




14 Receive
2 Channel
(see terms)



5x 



*Select "OF" to stop 2 channel scan



15 Channel
Scan

1x 




16 VOX
Sensibility
(see terms)

4x 






0 = no VOX
3 = sensitive VOX



17 Set Call-tone

3x 



18 Roger Beep On / Off*



 Hold both during start up

* Can only be changed during startup of FR3000E


19 Key-tone On / Off*



 Hold both during start up


* Can only be changed during startup of FR3000E

20 Power by chargerpod



Units
off!

21 Power by cable



Frequency Range : 446.00625 - 446.19375 MHz
Maximum Power : < 6,5 dBm

Use only supplied adapter

Information Power Adapter:

Manufacturers name and address : Shenzhen Tianyin Electronics Co., LTD, 2-6FL, Bldg9, Sanzhuli Industrial Park, Shuitian community Shiyan subdistrict, Bao'an District Shenzhen, Guangdong 518108, China

Model Identifier : TPA-97H050055VW01

Input voltage : 100-240VAC

Input AC frequency : 50/60 Hz

Output voltage : 5.0V DC

Output current : 0.55 A

Output Power : 2.75 W

Average active efficiency : 72.2 %

Efficiency at low 10% load : -



**!DO NOT USE NON RECHARGEABLE OR ALKALINE BATTERIES!
!ONLY USE RECHARGEABLE NIMH BATTERIES!**

DECLARATION OF CONFORMITY

Hereby, Commaxx declares that the radio equipment type Alecto FR300OE is in compliance with directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: <http://DOC.hesdo.com/FR300OE-DOC.pdf>

Commaxx B.V.
Wiebachstraat 37
6466NG Kerkrade
The Netherlands

www.alecto.com



v2.2